

RESOLUTION 24-248

A RESOLUTION TO AUTHORIZE THE PURCHASE OF AN ALTEC BUCKET TRUCK THROUGH SOURCEWELL CONTRACT FOR THE TRAFFIC DEPARTMENT

WHEREAS, the City of Spring Hill Streets Department desires to purchase an Altec Bucket Truck from Altec Industries, Inc. through Sourcewell Contract Pricing; and

WHEREAS, the City is currently a member of Sourcewell; and

WHEREAS, the vehicle would provide a safe platform for two person jobs such as signal light maintenance and mast arm/span-wire modifications; and

WHEREAS, the Sourcewell contract pricing for the Altec Bucket Truck is \$211,721.00; and

WHEREAS, funding for the purchase of the Altec Buck Truck is budgeted in the FY24 budget year in the Traffic Department (110-43120-59411).

NOW, THEREFORE BE IT RESOLVED, that the City of Spring Hill Board of Mayor and Aldermen, authorize the purchase of an Altec Bucket Truck from Altec Industries, Inc. for a total price of \$211,721.00 through the Sourcewell contract.


Passed and Adopted by the Board of Mayor and Aldermen of the City of Spring Hill, Tennessee on the 21th day of October, 2024.


Jim Hagaman, Mayor

ATTEST:


April Goad, City Recorder

LEGAL FORM APPROVED:


Patrick Carter, City Attorney



REQUEST: **Approval of Resolution 24-248**

SUBMITTED BY: **Tyler Scroggins, Public Works Director**

DATE: **June 20, 2023**

RE: **To approve the purchase of a Altec Bucket Truck for the
Traffic Department**

ATTACHMENTS: **Resolution 24-248, and quote**

PURPOSE:

To approve the purchase of a Altec Bucket Truck through Sourcewell contract for the Traffic Department.

BACKGROUND:

The Traffic Department was approved for the purchase of a two-person bucket truck in the FY24 budget.

This vehicle would provide a safe platform for two person jobs such as signal light maintenance and mast arm/span wire modifications.

Funds were budgeted in the FY 24 budget (110-43120-59411) in the amount of \$300,000.00 for the purchase of this vehicle.

STAFF RECOMMENDATION:

Staff recommends approval of Resolution 24-248.



Quote Number: 1292062
 Opportunity Number: 1666248
 Sourcwell Contract #: 110421-ALT
 Date: 6/19/2024

Quoted for: Riviera Utilities
 Customer Contact:
 Phone: / Email:

Quoted by: Gray Whitt
 Phone: / Email: stephen.whitt@altec.com / 919-612-9021
 Altec Account Manager: Jason Janoulis

REFERENCE ALTEC MODEL		Sourcwell Price
AT41M	Articulating Telescopic Aerial Device with Material Handling Insulated, 41'	\$221,112

(A.) SOURCEWELL OPTIONS ON CONTRACT (Unit)

1	AT41M-LE	Lifting Eye - lifting eye on underside of lower boom. Rated at 1,000lbs (454kg) lifting capacity.	\$218
2	AT41M-US41P	Non-Material Handling Platform (AT41P)	-\$2,426
3			
4			

(A1.) SOURCEWELL OPTIONS ON CONTRACT (General)

1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
SOURCEWELL OPTIONS TOTAL:			\$218,904

(B.) OPEN MARKET ITEMS (Customer Requested)

1	UNIT	2 Man Platofrm	\$4,224
2	UNIT & HYDRAULIC ACC	N/A	\$0
3	BODY	Custom Body ILO Contract Body	\$736
4	BODY & CHASSIS ACC	N/A	\$0
5	ELECTRICAL	Custom Mini Lightbar Strobes	\$2,509
6	FINISHING	N/A	\$0
7	CHASSIS	Custom Chassis ILO Contract Chassis	-\$9,960
8	OTHER	ALTEC MY 2024 ILO of Contract 2027	-\$7,095
OPEN MARKET OPTIONS TOTAL:			-\$9,586

SUB-TOTAL FOR UNIT/BODY/CHASSIS: \$209,318.00
Delivery to Customer: \$2,403.00
TOTAL FOR UNIT/BODY/CHASSIS: \$211,721.00

(C.) ADDITIONAL ITEMS (items are not included in total above)

1			
2			
3			
4			

****Pricing valid for 45 days****

NOTES

PRICING: Altec will make every effort to honor this quotation, subject to the following provisions. Prices for equipment with production start dates 12 months and beyond are budgetary only due to irregular cost inflation and market volatility. These prices will be reviewed based on market conditions and confirmed closer to the production date. Quotes and orders with chassis model year beyond the current open order bank, should be considered estimates only. Altec's turn-key pricing is subject to change in accordance with chassis pricing received from the OEM. Chassis model year, specifications and price will be reviewed and confirmed when specific model year information becomes available from the OEM and that chassis price difference will be passed through to the customer.

PAINT COLOR: White to match chassis, unless otherwise specified

WARRANTY: Standard Altec Warranty for Aerials and Derricks - One (1) year parts warranty One (1) year labor warranty Ninety (90) days

TO ORDER: To order, please contact the Altec Account Manager listed above.

CHASSIS: Per Altec Commercial Standard

DELIVERY: No later than 1 months ARO, FOB Customer Location

TERMS: Net 30 days

BEST VALUE: Altec boasts the following "Best Value" features: Altec ISO Grip Controls for Extra Protection, Only Lifetime Warranty on Structural Components in Industry, Largest Service Network in Industry (Domestic and Overseas), Altec SENTRY Web/CD Based Training, Dedicated/Direct Gov't Sales Manager, In-Service Training with Every Order.

TRADE-IN: Please ask your Altec Account Manager for more information

BUILD LOCATION: Creedmoor, NC



June 19, 2024
Our 95th Year

Ship To:
RIVIERA UTILITIES BOARD
413 EAST LAUREL AVE
FOLEY, AL 36535
US

Bill To:
RIVIERA UTILITIES BOARD
413 EAST LAUREL AVE
FOLEY, AL 36535
US

Attn:
Phone:
Email:

Altec Sales Order: 6681462
Altec Quotation Number: 1103218 - 2
Run Number: 1292062
Account Manager: Jason T Janoulis
Technical Sales Rep: Stephen Gray Whitt
Reference WO: New Spec-
Customer Inspection:
Customer Truck Number:

X7 Discrete Job: 93669585
X7 Configured Item: 000027016-21767898
Quantity: 1
X4 Discrete Job: 93866475
X4 Configured Item: 970128008-21767896
System Engineer: Jonathan Guadarrama
Structural Engineer: Ian Carville
Line Set Date: 03/16/2023

<u>Item</u>	<u>Description</u>	<u>Qty</u>
	<u>Unit</u>	
1.	Altec Model AT41P Articulating Telescopic Aerial Device with a fiberglass upper boom and fiberglass insulator in the articulating arm and proportional joystick upper controls. Built in accordance to ALTEC's standard specifications and to include the following features:	1
2.	Pedestal	1
3.	Single 2-Man Platform, Fiberglass, 24" x 48" x 42", End Mount, 180 Degree Rotation.	1
4.	Platform Mounted Single Handle Controls	1
5.	No Jib/Winch	1
6.	Two (2) Platform steps - located on the side of the platform nearest the elbow in the stowed position	1
7.	Platform Cover - soft vinyl, 24 x 48 inches (610 x 1219 mm)	1
8.	Platform Liner - for two-man fiberglass platform, 24 x 48 x 42 inches (610 x 1219 x 1067 mm), 50 kV rating (minimum)	1
9.	Hydraulic Tool Circuit at Platform: Two set of quick disconnect couplings at the boom tip for open center tools.	1
10.	Hydraulic Tool Circuit Below Rotation: One set of quick disconnect couplings and control valve for open center tools below rotation.	1
11.	Engine Start/Stop & Secondary Stowage System: 12 VDC powered motor and pump assembly for temporary operation of the unit in a situation wherein the primary hydraulic source fails. Electric motor is powered by the chassis battery. This feature allows the operator to completely stow the booms, platform, and outriggers. Secondary Stowage &	1

<u>Item</u>	<u>Description</u>	<u>Qty</u>
	Start/Stop is activated with an air plunger at the platform or momentary switch at the lower control station and outriggers.	
12.	Slip Ring: Required for engine start/stop, secondary stowage system, and throttle control options	1
13.	Outriggers, Primary, Modified A-Frame With Integrated Subbase, 30"-34" Chassis Height, Electric Interlock, No Valves On Legs, 114" Spread, Fixed Shoe (AT37/41 M/ME/P/PE/S/SE)	1
14.	Lifting Eye - lifting eye on underside of lower boom. Rated at 1,000lbs (454kg) lifting capacity.	1
15.	Attec Unit Powder Painted White	1
<u>Unit and Hydraulic Acc.</u>		
16.	Scuff Pad 24 x 48 With Step For Use With Platform Liner (U&H Acc)	1
17.	Electric Outrigger Controls for one (1) set of outriggers, drive hydraulic outrigger control valves. Durable weather proof sealed electronic switches mounted in aluminum boxes located at the rear of the unit unless otherwise specified.	1
18.	Temperature Sight Gauge (FA Supplied)	1
19.	15 Gallon Reservoir, Triangular	1
<u>Sales Text: -Reservoir & block valve guard painted Orange FLNA 2511</u> <u>Last Updated By: Ian Carville - AutoEnded on 26-AUG-2022 09:35</u>		
20.	Hydraulic Oil, HVI-22 (Standard)	25
21.	Standard Pump For PTO	1
22.	Electric Shifted PTO	1
23.	Standard Attec PTO/Transmission Functionality for Non-Allison Automatic Transmissions: -PTO will engage when transmission is in park and the Parking Brake is engaged. -If transmission is in gear, and PTO switch is activated, PTO will not engage. Transmission will remain in gear. -Once the transmission is shifted back into gear the PTO will disengage. For some truck configurations the PTO switch must be turned off to allow the transmission to shift into gear.	1
24.	Standard Parking Brake Machine Interlock: Parking (holding) brake must be set before machine is operable.	1
25.	Attec recommends any connection made to the tool circuit be done with Non-Conductive hose. If ordering a Hose reel, Attec recommends ordering a hose reel with Non-Conductive hose. The lower tool circuit hoses may be, or become, conductive. Death or serious injury could occur if the unit becomes energized while lower tool circuit is in use.	1
26.	Install Tool Circuit With Quick Disconnects Below Rotation (Male Pressure Female Return), No Hose Reel	1

Sales Text: -Installed at curbside rear, underslung from light channel

<u>Item</u>	<u>Description</u>	<u>Qty</u>
Last Updated By: Daniel Poole on 25-FEB-2022 11:53		
<u>Body</u>		
27.	Altec Body	1
28.	Steel Body	1
29.	Body Is To Be Built In Accordance With The Following Altec Standard Specifications:	1
30.	Smooth Galvanneal Steel Floor	1
31.	Low-Side General Service With Step (LGSS)	1
32.	Finish Paint Body Altec White	1
33.	Undercoat Body	1
34.	132" Estimated Body Length (Engineering To Determine Final Length)	1
35.	94" Body Width	1
36.	40" Body Compartment Height	1
37.	20" Body Compartment Depth	1
38.	5 Inch Drop-In Metal Cargo Retaining Panel At Top Of Side Access Step	1
39.	Adhesive Strip Lighting (LED) Around Top And Sides Of Compartment Door Facings	7
40.	Stainless Steel Rotary Paddle Latches With Keyed Locks	7
41.	All Locks Keyed Alike Including Accessories (Preferred Option)	1
42.	Standard Master Body Locking System	7
43.	Gas Prop Rigid Door Holders On All Vertical Doors	1
44.	Chains On All Horizontal Doors	1
45.	One Chock Holder On Each Side of Body With Retaining Lip In Fender Panel	1
46.	Hotstick Shelf Extending Full Length Of Body On Streetside	1
47.	Two Hotstick Brackets On Streetside	1
48.	Standard Drop-Down Hotstick Door For One (1) Shelf On Streetside, Stainless Steel Slam Paddle Latch With Keyed Lock	1
49.	1st Vertical (SS) - Adjustable Shelf With Removable Dividers On 4" Centers	3
50.	1st Vertical (SS) - Outrigger Housing, With Outrigger Pin Access As Needed	1
51.	2nd Vertical (SS) - Locking Swivel Hooks On An Adjustable Rail - Left Wall	2
52.	2nd Vertical (SS) - Locking Swivel Hooks On An Adjustable Rail - Rear Wall	3
53.	2nd Vertical (SS) - Locking Swivel Hooks On An Adjustable Rail - Right Wall	2

<u>Item</u>	<u>Description</u>	<u>Qty</u>
54.	1st Horizontal (SS) - Fixed Shelf With Removable Dividers On 4 Inch Centers On Bottom of Compartment	1
55.	Rear Vertical (SS) - Adjustable Shelf With Removable Dividers On 4" Centers	3
56.	1st vertical (CS) - 3 in high drawer kit on slides, as wide as possible, latched	6
Sales Text: -Dividers on 4" centers Last Updated By: Daniel Poole on 25-FEB-2022 11:53		
57.	1st Vertical (CS) - Outrigger Housing, With Outrigger Pin Access As Needed	1
58.	2nd Vertical (CS) - Gripstrut Access Steps With Two (2) Sloped Grab Handles, Vented Battery Storage (Keyed Lock)	1
59.	1st Horizontal (CS) - 4" High Drawer Kit On Slides, As Wide As Possible, Latched	2
Sales Text: -Dividers on 4" centers -Both installed as low as possible Last Updated By: Daniel Poole on 25-FEB-2022 11:53		
60.	Rear Vertical (CS) - Locking Swivel Hooks On An Adjustable Rail - Left Wall	2
61.	Rear Vertical (CS) - Locking Swivel Hooks On An Adjustable Rail - Rear Wall	3
62.	Rear Vertical (CS) - Locking Swivel Hooks On An Adjustable Rail - Right Wall	2
63.	36" L Steel Tailshelf, Width To Match Body	1
64.	3" Fixed Steel Retaining Rail On Sides And Rear Of Tailshelf With Corner Wash-Out	1
65.	Smooth Galvanneal Steel Tailshelf	1
<u>Body and Chassis Accessories</u>		
66.	Set of Safety Chain Eye Bolts	1
67.	Rigid Style Pintle Hitch (30,000 LB MGTW with 6,000 LB MVL), 4-Bolt Face Mount, Buyers PH15 (T-60 Style)	1
68.	Underride Protection Bumper, Installed at Rear	1
69.	No Counterweight Required	1
70.	Rigid Step Mounted Beneath Side Access Steps (Installed To Extend Approx. 2" Outward)	1
71.	Boom Rest for a Telescopic Unit (Located in Cargo Area), Manual Boom Latch	1
72.	Manual Boom Stow Securing System Installed on Boom Rest	1
73.	Platform Rest, Rigid with Rubber Tube, 24 Inch	1
74.	Nylon Outrigger Pad, Yellow, 18" x 18" x 0.63", With Handle, Altec (Altec Preferred)	2
75.	Outrigger Pad Holder, 20 L x 20 W x 3 H Fits 19.5 x 19.5 x 2 and Smaller Pads Bolt-On Bottom, Washout Holes with 3/4 Inch Lip Retainer, Steel	1
76.	Wheel Chocks Rubber with Metal Hairpin Handle 9.75 L x 7.75 W x 5 H (Pair) (Altec	1

<u>Item</u>	<u>Description</u>	<u>Qty</u>
	Preferred)	
77.	Mud Flaps with Altec Logo (Pair)	1
78.	5 LB Fire Extinguisher with Light Duty Bracket Shipped Loose (Amerex #B402T)	1
79.	Safety Harness and 4.5 Ft Lanyard (Fits Medium to Xlarge)	2
80.	Triangular Reflector Kit (Contains 3 Reflectors), Shipped Per DEPS 042	1
81.	Slope Indicator Assembly for Machine with Outrigger	1
82.	Vinyl Manual Pouch for Storage of All Operator and Parts Manuals	1
<u>Electrical Accessories</u>		
83.	Compartment Lights Wired to Dash Mounted Master Switch in Chassis Cab	1
84.	Lights And Reflectors In Accordance With FMVSS 108 (Complete LED)	1
85.	Strobe Light Option	1
<p><u>Sales Text:</u> -Pinnacle 7000 Mini LED Lightbar, Amber light with clear dome, PN:EPL7PDAC -Post mounted at streetside front of body. Visible 360 degrees around truck. Last Updated By: Ian Carville - AutoEnded on 26-AUG-2022 09:35</p>		
86.	4-Corner Strobes, Amber, LED, Two (2) Surface Mounted Lights In Grille, Two (2) Round Lights At Rear, Class II (Permit May Be Required)	1
87.	Strobe Lights Wired Battery Hot	1
88.	Dual Tone Backup Alarm With Outrigger Motion Alarm	1
89.	PTO Hour Meter, Digital, With 10 000 Hour Display	1
90.	Trailer Receptacle, 7-Way (Blade Type) Installed At Rear	1
91.	Upfitter Switches, Ford (Supplied with Chassis)	1
92.	Power Distribution Module (PDM-6) is a compact self-contained electronic system that provides a standardized interface with the chassis electrical system. (Includes Operator's Manual)	1
93.	Install Remote Engine Start/Stop and Secondary Stowage Systems in Final Assembly	1
94.	Install Outrigger Interlock System In Final Assembly	1
95.	Heavy Duty Secondary Stowage Pump (Supplied By Final Assembly)	1
96.	PTO Indicator Light, Installed In Cab	1
<u>Finishing Details</u>		
97.	Front and Rear Frame Mounted and Under Body Mounted Components (With the Exception of Rust Resistant Components) Will Be Painted Black DEPS 005 DEPS 095 (Includes Non OEM Front Bumpers and Cabguards)	1
98.	Powder Coat Unit Altec White	1

<u>Item</u>	<u>Description</u>	<u>Qty</u>
99.	Finish Paint Body Accessories Above Body Floor Altec White	1
100.	Finish Paint Body Compartment Interiors Altec White	1
101.	Apply Non-Skid Coating (Black) to All Walking Surfaces DEPS 057	1
102.	Safety and Instructional Decals English	1
103.	Vehicle Height Placard Installed In Cab DEPS 002	1
104.	HVI-22 Hydraulic Oil Placard	1
105.	Dielectric Test Unit According to ANSI Requirements	1
106.	Stability Test Unit According to ANSI Requirements	1
107.	Focus Factory Build	1
108.	Delivery Of Completed Unit	1
109.	Inbound Freight	1
110.	As Built Electrical and Hydraulic Schematics to be Included In the Manual Pouch (Deps 024)	1
111.	Completed Test Forms To Be Included In The Manual Pouch: -Stability Test Form -Dielectric Test Form (For Insulated Units)	1
112.	Additional Finishing Detail	1

Sales Text: Details

**-Send to Dreamworks to paint body and boom Altec White
Last Updated By: Stephen Whitt on 26-MAR-2024 11:00**

Chassis

113.	Altec Supplied Chassis	1
114.	Chassis	1
115.	2023 Model Year	1
116.	Ford F550	1
117.	Dual Rear Wheel	1
118.	4x2	1
119.	Chassis Cab	1
120.	Regular Cab	1
121.	Chassis Color - White	1

Sales Text: -Re-Painted Prior to Production

**-Riviera Paint Scheme: Yellow FLNA 1574 & Orange FLNA 2511
-Fender Panels & Cab Roof to be Orange FLNA 2511**



<u>Item</u>	<u>Description</u>	<u>Qty</u>
	-All other portions of cab to be Yellow FLNA 1574	
	Last Updated By: Daniel Poole on 25-FEB-2022 11:53	
122.	AM/FM Radio	1
123.	Bluetooth	1
124.	Block Heater	1
125.	Limited Slip Rear Axle	1
126.	Manual Folding Side Mirrors with Heated Glass	1
127.	Snow Plow Package	1
128.	Trailer Brake Controller (Factory Installed)	1
129.	110VAC Outlet, OEM Supplied	1
130.	12V DC Power Outlet	1
131.	Air Conditioning	1
132.	Cruise Control	1
133.	Keyless Entry	1
134.	Power Door Locks	1
135.	Power Windows	1
136.	Tilt Steering Wheel	1
137.	84 Clear CA (Round To Next Whole Number)	1
138.	Chassis Wheelbase Length - 169	1
139.	GVWR 19,500 LBS	1
140.	7,500 LBS Front GAWR	1
141.	14,706 LBS Rear GAWR	1
142.	Spring Suspension	1
143.	Ford 6.7L Power Stroke Diesel	1
144.	Diesel	1
145.	Ford Torqshift 10-Speed Automatic Transmission (w/PTO Provision)	1
146.	Ford 40 Gallon Fuel Tank (Rear)	1
147.	Ford 7.2 Gallon DEF Tank (Mid Mount)	1
148.	Ford E/F250-550 Single Horizontal Right Side Exhaust	1
149.	No CARB Clean Idle Certification Required	1



<u>Item</u>	<u>Description</u>	<u>Qty</u>
150.	EPA Emissions	1
151.	No Idle Engine Shut-Down Required	1
152.	Hydraulic Brakes	1
153.	Park Brake In Rear Wheels	1
154.	63C - Aft Axle Frame Extension	1
155.	98R - Operator Commanded Regeneration (OCR)	1
156.	Vinyl Split Bench Seat	1
<u>Additional Pricing</u>		
157.	Standard Altec Warranty: One (1) year parts warranty, one (1) year labor warranty, ninety (90) days warranty for travel charges, limited lifetime structural warranty	1

Altec Industries, Inc.

BY _____

Stephen Gray Whitt , Technical Sales Representative

<u>Item Number</u>	<u>Unselected Items Description</u>
970128372-	Custom Unit Color (Specify Color Code) -Yellow FLNA 1574 Unselected By: Stephen Whitt on 21-MAR-2024 10:19
970329244-	Custom Above Rotation Color (Specify Color Code) -Yellow FLNA 1574 Unselected By: Stephen Whitt on 21-MAR-2024 10:19
970329246-	Custom Pedestal/Tower Color (Specify Color Code) -Orange FLNA 2511 Unselected By: Stephen Whitt on 21-MAR-2024 10:19
970329248-	Custom Inner Outrigger Leg Color (Specify Color Code) -Orange FLNA 2511 Unselected By: Stephen Whitt on 21-MAR-2024 10:19
970329249-	Custom Outrigger Housing Color (Specify Color Code) -Orange FLNA 2511 Unselected By: Stephen Whitt on 21-MAR-2024 10:19
970331060-	Custom Above Rotation Color (Specify Color Code) -Yellow FLNA 1574 Unselected By: Stephen Whitt on 21-MAR-2024 10:19
970773605-	DOT Certification Required (Altec/Stock Preferred) -Riviera Utilities -413 East Laurel Ave -Foley, AL 36536 Unselected By: Stephen Whitt on 21-MAR-2024 10:19
970331069-	Custom Inner Outrigger Leg Color (Specify Color Code) -Orange FLNA 2511 Unselected By: Stephen Whitt on 21-MAR-2024 10:19
970331074-	Custom Outrigger Housing Color (Specify Color Code)

- 970708131- **-Orange FLNA 2511**
 Unselected By:Stephen Whitt on 21-MAR-2024 10:19
 Finish Paint Steel Body Custom Color (Provide Color And Code) - Bodies Up To 136 Inches Long
 -Yellow FLNA 1574
 Unselected By:Stephen Whitt on 21-MAR-2024 10:19
- 970773530- Repaint Chassis Custom Color at Final Assembly (Specify Color Code)
 -DreamWorks to Paint Chassis Prior to Production
 -Riviera Paint Scheme: Yellow FLNA 1574 & Orange FLNA 2511
 -Fender Panels & Cab Roof to be Orange FLNA 2511
 -All other portions of cab to be Yellow FLNA 1574
 -Same as Run 1092375
 Unselected By:Stephen Whitt on 21-MAR-2024 10:19
- 970773561- Repaint Body Custom Color at Final Assembly (Specify Color Code)
 -FA to Paint Wheel well panels, tail shelf sideskirts & retaining rail, side access tail board,
 cargo walls & interior of headboard to be painted Orange FLNA 2511
 -Same as Run 1092375
- 970331065- **Unselected By:Stephen Whitt on 21-MAR-2024 10:19**
 Custom Pedestal/Tower Color (Specify Color Code)
 -Orange FLNA 2511
 Unselected By:Stephen Whitt on 21-MAR-2024 10:19

New Selected Items
Description

Item Number

- 970128370- Powder Coat Unit Altec White

 Created By:Stephen Whitt on 21-MAR-2024 10:19
- 970708121- Finish Paint Steel Body Altec White (Preferred Option) - Bodies Up To 136 Inches Long

 Created By:Stephen Whitt on 21-MAR-2024 10:19
- 970773559- Finish Paint Body Compartment Interiors Altec White

 Created By:Stephen Whitt on 21-MAR-2024 10:19
- 970773536- Powder Coat Unit Altec White

 Created By:Stephen Whitt on 21-MAR-2024 10:19
- 970773553- Finish Paint Body Accessories Above Body Floor Altec White (Creedmoor Units)

 Created By:Stephen Whitt on 21-MAR-2024 10:19
- 970056974- Additional Finishing Detail 1
 Details
 -Send to Dreamworks to paint body and boom Altec White
 Created By:Stephen Whitt on 26-MAR-2024 11:00